

**Einböck**

**When grassland care  
is joy!**

# DATA SHEET GRASSLAND CARE



| GRASSLAND TECHNOLOGY      | DIMENSIONS AND TECHNICAL DATA |                      |                     |                              |                                                                                        |                                                 |                   |                              |                            |                            | FOLDING |                       |                          |                        |                          | WHEELS       |                                   | FRAME DESIGN |                                                                |                                   |                              |
|---------------------------|-------------------------------|----------------------|---------------------|------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------|-------------------|------------------------------|----------------------------|----------------------------|---------|-----------------------|--------------------------|------------------------|--------------------------|--------------|-----------------------------------|--------------|----------------------------------------------------------------|-----------------------------------|------------------------------|
|                           | Model = Working width (cm)    | Transport width (cm) | Parking height (cm) | Basic weight (approx. in kg) | Standard track width (approx. in cm)<br>Stepless adjustment with standard wheel design | Track width infinitely variable<br>up to 2,15 m | Mounting category | Power requirement from HP/kW | Hydraulic control units DW | Hydraulic control units EW | Rigid   | Hydraulically folding | Hydraulic double folding | Semi-mounted / trailed | Hydraulic transport lock | Wheel chocks | Groundwheels (standard equipment) | Heavy frame  | Parallel guided weeder sections<br>with hydr. level regulation | Heavy duty front levelling plates | Light front levelling plates |
| GRASS-MANAGER             | 150                           | 150                  | 118                 | 190                          | 136-140                                                                                | ●                                               | I/28              | 20/15                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 200                           | 200                  | 118                 | 200                          | 136-140                                                                                | ●                                               | I/28              | 25/18                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 300                           | 300                  | 118                 | 250                          | 136-140                                                                                | ●                                               | I/28              | 30/22                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 450                           | 260                  | 170                 | 520                          | 136-140                                                                                | ●                                               | I/28              | 40/29                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                              | -                                 | ●                            |
|                           | 500                           | 260                  | 200                 | 540                          | 136-140                                                                                | ●                                               | I/28              | 50/37                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                              | -                                 | ●                            |
|                           | 600                           | 300                  | 240                 | 640                          | 136-140                                                                                | ●                                               | II/28             | 60/44                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
|                           | 750                           | 300                  | 315                 | 850                          | 136-140                                                                                | ●                                               | II/28             | 70/51                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                              | -                                 | -                            |
|                           | 900                           | 300                  | 350                 | 1170                         | 136-140                                                                                | ●                                               | II/28             | 80/59                        | 1                          | -                          | -       | -                     | ✓                        | -                      | ●                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
|                           | 1200                          | 300                  | 350                 | 1310                         | 136-140                                                                                | ●                                               | II/28             | 90/66                        | 1                          | -                          | -       | -                     | ✓                        | -                      | ●                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
| PNEUMATICSTAR<br>-MD      | 200                           | 200                  | 190                 | 260                          | 136-140                                                                                | ●                                               | I/28              | 25/18                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 300                           | 300                  | 190                 | 350                          | 136-140                                                                                | ●                                               | I/28              | 30/22                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 500                           | 300                  | 250                 | 580                          | 136-140                                                                                | ●                                               | I/28              | 50/37                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                              | -                                 | ●                            |
|                           | 600                           | 300                  | 250                 | 690                          | 136-140                                                                                | ●                                               | II/28             | 60/44                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
|                           | 900                           | 300                  | 350                 | 1400                         | 136-140                                                                                | ●                                               | II/28             | 90/66                        | 1                          | -                          | -       | -                     | ✓                        | -                      | ●                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
|                           | 1200                          | 300                  | 350                 | 1650                         | 136-140                                                                                | ●                                               | II/28             | 100/74                       | 1                          | -                          | -       | -                     | ✓                        | -                      | ●                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
| PNEUMATICSTAR<br>-STI     | 200                           | 200                  | 190                 | 260                          | 136-140                                                                                | ●                                               | I/28              | 25/18                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 300                           | 300                  | 190                 | 350                          | 136-140                                                                                | ●                                               | I/28              | 30/22                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                              | -                                 | ●                            |
|                           | 500                           | 300                  | 250                 | 580                          | 136-140                                                                                | ●                                               | I/28              | 50/37                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                              | -                                 | ●                            |
|                           | 600                           | 300                  | 250                 | 690                          | 136-140                                                                                | ●                                               | II/28             | 60/44                        | -                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
|                           | 900                           | 300                  | 350                 | 1400                         | 136-140                                                                                | ●                                               | II/28             | 90/66                        | 1                          | -                          | -       | -                     | ✓                        | -                      | ●                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
|                           | 1200                          | 300                  | 350                 | 1650                         | 136-140                                                                                | ●                                               | II/28             | 100/74                       | 1                          | -                          | -       | -                     | ✓                        | -                      | ●                        | -            | 4                                 | ●            | -                                                              | -                                 | ●                            |
| GRASS-MANAGER-<br>PRO     | 300                           | 300                  | 135                 | 670                          | 200                                                                                    | -                                               | II/28             | 60/44                        | 1                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 4                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 600                           | 300                  | 300                 | 1280                         | 200                                                                                    | -                                               | II/28             | 80/59                        | 1                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 6                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 900                           | 300                  | 355                 | 2265                         | 200                                                                                    | -                                               | II/28             | 130/95                       | 3                          | -                          | -       | ✓                     | -                        | -                      | ✓                        | -            | 8                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 1200                          | 300                  | 390                 | 4200                         | 220                                                                                    | -                                               | II/28 + III/36    | 170/125                      | 2                          | 1                          | -       | -                     | -                        | ✓                      | ✓                        | ✓            | 8                                 | ✓            | ✓                                                              | ✓                                 | -                            |
| PNEUMATICSTAR<br>-PRO-MD  | 300                           | 300                  | 180                 | 790                          | 200                                                                                    | -                                               | II/28             | 60/44                        | 1                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 4                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 600                           | 300                  | 300                 | 1370                         | 200                                                                                    | -                                               | II/28             | 80/59                        | 1                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 6                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 900                           | 300                  | 355                 | 2265                         | 200                                                                                    | -                                               | II/28             | 130/95                       | 3                          | -                          | -       | ✓                     | -                        | -                      | -                        | -            | 8                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 1200                          | 300                  | 390                 | 4450                         | 220                                                                                    | -                                               | II/28 + III/36    | 170/125                      | 2                          | 1                          | -       | -                     | -                        | ✓                      | ✓                        | ✓            | 8                                 | ✓            | ✓                                                              | ✓                                 | -                            |
| PNEUMATICSTAR<br>-PRO-STI | 300                           | 300                  | 180                 | 790                          | 200                                                                                    | -                                               | II/28             | 60/44                        | 1                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 4                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 600                           | 300                  | 300                 | 1370                         | 200                                                                                    | -                                               | II/28             | 80/59                        | 1                          | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 6                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 900                           | 300                  | 355                 | 2175                         | 200                                                                                    | -                                               | II/28             | 130/95                       | 3                          | -                          | -       | ✓                     | -                        | -                      | ✓                        | -            | 8                                 | ✓            | ✓                                                              | ✓                                 | -                            |
|                           | 1200                          | 300                  | 390                 | 4450                         | 220                                                                                    | -                                               | II/28 + III/36    | 170/125                      | 2                          | 1                          | -       | -                     | -                        | ✓                      | ✓                        | ✓            | 8                                 | ✓            | ✓                                                              | ✓                                 | -                            |

✓ = standard equipment

● = optionally available

- = not possible

Conversion cm in inch = cm / 2,54  
Conversion cm in feet = cm / 30,48

For further options or technical information please contact our sales team. For an up-to-date overview or information, please visit our website and download the latest brochures online ([www.einboeck.at/en/downloads](http://www.einboeck.at/en/downloads)).

| TINES          |                |                         |                 |                          |                  |                  |                 |                                       |                                      |                              |                   | SPECIFICATION / RETRO-FIT OPTIONS |                                                     |                                   |                                    |              |                |               |                                                                            |                                        |                |                    |                                                                                                             |                                           |                           |                          |                                |                                 |                                           |                                            |                      |   |
|----------------|----------------|-------------------------|-----------------|--------------------------|------------------|------------------|-----------------|---------------------------------------|--------------------------------------|------------------------------|-------------------|-----------------------------------|-----------------------------------------------------|-----------------------------------|------------------------------------|--------------|----------------|---------------|----------------------------------------------------------------------------|----------------------------------------|----------------|--------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------------------|--------------------------|--------------------------------|---------------------------------|-------------------------------------------|--------------------------------------------|----------------------|---|
| Tines 7/490 mm | Tines 8/490 mm | Tines 8/490 mm STRAIGHT | Tines 10/490 mm | Tines 10/490 mm STRAIGHT | Tines 6,5/490 mm | Tines 6,5/380 mm | Number of tines | Mechanical adjustment of aggressivity | Hydraulic adjustment of aggressivity | Protection against tine loss | Line spacing (cm) | Number & size of sections (cm)    | Warning signs + LED lights to the front and/or rear | Seeder P-BOX-STI (electric drive) | Seeder P-BOX-MD (mechanical drive) | Electric fan | Mechanical fan | Hydraulic fan | Speed sensor and sensor indicating the position of the 3 point hitch (STI) | Retaining plate and mech. jogging unit | Hectar counter | Airflow monitoring | Cable to receive speed info and info about position of the 3 point hitch from the 7-pin plug of the tractor | GPS- or radar sensor for speed info (STI) | Alarm when box gets empty | Calibration button (STI) | Version with 500 l tank volume | Version with 265 l plastic tank | Deflector plate made from stainless steel | Hydr. valve to combine 2 hydr. connections | Front mounting frame |   |
| -              | ✓              | ●                       | -               | -                        | -                | -                | 60              | ✓                                     | ●                                    | ●                            | 2,5               | 1x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | -               | -                        | -                | -                | 84              | ✓                                     | ●                                    | ●                            | 2,5               | 1x210                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | -               | -                        | -                | -                | 120             | ✓                                     | ●                                    | ●                            | 2,5               | 2x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | -               | -                        | -                | -                | 180             | ✓                                     | ●                                    | ●                            | 2,5               | 3x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | -               | -                        | -                | -                | 204             | ✓                                     | ●                                    | ●                            | 2,5               | 1x210<br>2x150                    | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 240             | ✓                                     | ●                                    | ●                            | 2,5               | 4x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | -               | -                        | -                | -                | 300             | ✓                                     | ●                                    | ●                            | 2,5               | 5x150                             | ●                                                   | ●                                 | ●                                  | -            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 360             | ✓                                     | ●                                    | ●                            | 2,5               | 6x150                             | ●                                                   | ●                                 | ●                                  | -            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | ●                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 480             | ✓                                     | ●                                    | ●                            | 2,5               | 8x150                             | ●                                                   | ●                                 | ●                                  | -            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | ●                    | - |
| ✓              | ●              | ●                       | -               | -                        | -                | -                | 84              | ✓                                     | ●                                    | ●                            | 2,5               | 1x210                             | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | -                              | -                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | -               | -                        | -                | -                | 120             | ✓                                     | ●                                    | ●                            | 2,5               | 2x150                             | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | -                              | -                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | -               | -                        | -                | -                | 204             | ✓                                     | ●                                    | ●                            | 2,5               | 1x210<br>2x150                    | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | -                              | -                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | ●               | ●                        | -                | -                | 240             | ✓                                     | ●                                    | ●                            | 2,5               | 4x150                             | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | ●               | ●                        | -                | -                | 360             | ✓                                     | ●                                    | ●                            | 2,5               | 6x150                             | ●                                                   | -                                 | ✓                                  | -            | ✓              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | ●                              | ●                               | ●                                         | ●                                          | ●                    | - |
| ✓              | ●              | ●                       | ●               | ●                        | -                | -                | 480             | ✓                                     | ●                                    | ●                            | 2,5               | 8x150                             | ●                                                   | -                                 | ✓                                  | -            | ✓              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | ●                              | ●                               | ●                                         | ●                                          | ●                    | - |
| ✓              | ●              | ●                       | -               | -                        | -                | -                | 84              | ✓                                     | ●                                    | ●                            | 2,5               | 1x210                             | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | -               | -                        | -                | -                | 120             | ✓                                     | ●                                    | ●                            | 2,5               | 2x150                             | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | -                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | -               | -                        | -                | -                | 204             | ✓                                     | ●                                    | ●                            | 2,5               | 1x210<br>2x150                    | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | -                              | ●                               | ●                                         | -                                          | -                    |   |
| ✓              | ●              | ●                       | ●               | -                        | -                | -                | 240             | ✓                                     | ●                                    | ●                            | 2,5               | 4x150                             | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| ✓              | ●              | ●                       | ●               | -                        | -                | -                | 360             | ✓                                     | ●                                    | ●                            | 2,5               | 6x150                             | ●                                                   | ✓                                 | -                                  | -            | ✓              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | ●                    | - |
| ✓              | ●              | ●                       | ●               | -                        | -                | -                | 480             | ✓                                     | ●                                    | ●                            | 2,5               | 8x150                             | ●                                                   | ✓                                 | -                                  | -            | ✓              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | ●                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 120             | ✓                                     | -                                    | ●                            | 2,5               | 2x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 240             | ✓                                     | -                                    | ●                            | 2,5               | 4x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | -                    | ● |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 360             | ✓                                     | -                                    | ●                            | 2,5               | 6x150                             | ●                                                   | ●                                 | ●                                  | ●            | ●              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 480             | ✓                                     | -                                    | ●                            | 2,5               | 8x150                             | ●                                                   | ●                                 | ●                                  | ●            | -              | ●             | ●                                                                          | ●                                      | ●              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 120             | ✓                                     | -                                    | ●                            | 2,5               | 2x150                             | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | ●                                         | ●                         | -                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 240             | ✓                                     | -                                    | ●                            | 2,5               | 4x150                             | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | ●                                         | ●                         | -                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 360             | ✓                                     | -                                    | ●                            | 2,5               | 6x150                             | ●                                                   | -                                 | ✓                                  | ✓            | ●              | ●             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | -                                         | ●                         | -                        | ●                              | ●                               | ●                                         | ●                                          | -                    | - |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 480             | ✓                                     | -                                    | ●                            | 2,5               | 8x150                             | ●                                                   | -                                 | ✓                                  | -            | -              | ✓             | -                                                                          | ●                                      | ●              | ●                  | -                                                                                                           | ●                                         | ●                         | ●                        | ✓                              | ●                               | ●                                         | -                                          | -                    |   |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 120             | ✓                                     | -                                    | ●                            | 2,5               | 2x150                             | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | -                                          | -                    |   |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 240             | ✓                                     | -                                    | ●                            | 2,5               | 4x150                             | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ●                        | ●                              | ●                               | ●                                         | -                                          | -                    |   |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 360             | ✓                                     | -                                    | ●                            | 2,5               | 6x150                             | ●                                                   | ✓                                 | -                                  | ✓            | ●              | ●             | ●                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ✓                        | ●                              | ●                               | ●                                         | -                                          | -                    |   |
| -              | ✓              | ●                       | ●               | ●                        | -                | -                | 480             | ✓                                     | -                                    | ●                            | 2,5               | 8x150                             | ●                                                   | ✓                                 | -                                  | -            | -              | ✓             | -                                                                          | ●                                      | ✓              | ●                  | ●                                                                                                           | ●                                         | ●                         | ✓                        | ●                              | ●                               | -                                         | -                                          |                      |   |

| GRASSLAND TECHNOLOGY | DIMENSIONS AND TECHNICAL DATA |                      |                     |                              |                                                                                        |                                           |                   |                              |                            |                            | FOLDING |                       |                          |                        |                          | WHEELS       |                                   | FRAME DESIGN |                                                             |                                   |                              |
|----------------------|-------------------------------|----------------------|---------------------|------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------|-------------------|------------------------------|----------------------------|----------------------------|---------|-----------------------|--------------------------|------------------------|--------------------------|--------------|-----------------------------------|--------------|-------------------------------------------------------------|-----------------------------------|------------------------------|
|                      | Model = Working width (cm)    | Transport width (cm) | Parking height (cm) | Basic weight (approx. in kg) | Standard track width (approx. in cm)<br>Stepless adjustment with standard wheel design | Track width infinitely variable up to 2 m | Mounting category | Power requirement from HP/kW | Hydraulic control units DW | Hydraulic control units EW | Rigid   | Hydraulically folding | Hydraulic double folding | Semi-mounted / trailed | Hydraulic transport lock | Wheel chocks | Groundwheels (standard equipment) | Heavy frame  | Parallel guided weeder sections with hydr. level regulation | Heavy duty front levelling plates | Light front levelling plates |
| SPORTSTAR            | 150                           | 150                  | 190                 | 200                          | 136-140                                                                                | ●                                         | I/28              | 20/15                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                           | -                                 | ●                            |
|                      | 200                           | 200                  | 190                 | 230                          | 136-140                                                                                | ●                                         | I/28              | 25/18                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                           | -                                 | ●                            |
|                      | 300                           | 300                  | 190                 | 320                          | 136-140                                                                                | ●                                         | I/28              | 30/22                        | -                          | -                          | ✓       | -                     | -                        | -                      | -                        | -            | 2                                 | -            | -                                                           | -                                 | ●                            |
|                      | 450                           | 260                  | 250                 | 560                          | 136-140                                                                                | ●                                         | I/28              | 40/19                        |                            | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                           | -                                 | ●                            |
|                      | 500                           | 260                  | 250                 | 630                          | 136-140                                                                                | ●                                         | I/28              | 50/27                        |                            | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | -            | -                                                           | -                                 | ●                            |
|                      | 600                           | 300                  | 250                 | 740                          | 136-140                                                                                | ●                                         | II/28             | 60/44                        |                            | 1                          | -       | ✓                     | -                        | -                      | -                        | -            | 4                                 | ●            | -                                                           | -                                 | ●                            |

✓ = standard equipment

● = optionally available

- = not possible

Conversion cm in inch = cm / 2,54  
Conversion cm in feet = cm / 30,48

For further options or technical information please contact our sales team. For an up-to-date overview or information, please visit our website and download the latest brochures online ([www.einboeck.at/en/downloads](http://www.einboeck.at/en/downloads)).

[illegible]

**Technical changes and mistakes are subject to change without prior notice!**

In order to introduce the benefits of our continuous product development, we reserve the right to make technical changes without prior notice. Printing and typesetting errors or changes of any kind do not entitle the customer to any claims. Individual equipment specifications, which are illustrated or described here, are only available as options.

In case of contradictions between individual documents regarding the scope of supply, the information in our current price list shall apply.

All pictures are symbol pictures and may contain options which are available for an additional charge. For further information please contact our sales team.

**Photos & Graphics:** © Einböck GmbH; Photos & Graphics free, without licence, but can be used only unchanged | **Text & Content:** © Einböck GmbH; can be used unchanged if source is cited | **Version:** 10/2024